

NEWEST MODEL !!

TIER 4 FINAL / STAGE 4

MOROOKA

MST-2200VD

(Max. Payload 11 ton)

**ROPS
CERTIFIED
CABIN**



**Cummins Engine
QSB 6.7**

NEW RELEASE

MST-1500VD

(Max. Payload 7 ton)


**Tier 4 Final / Stage 4
provides powerful operation
& great efficiency**




**Digital
Information
Monitor**



MST-1500VD



MST-2200VD



SPECIFICATION

PERFORMANCE

		MST-1500VD	MST-2200VD
Maximum Payload	kg(lbs)	7,000 (15,435)	11,000 (24,255)
Loading Capacity	m ³	2.39	3.53
Speed1 Low	km/h	6	7
Speed2 High	km/h	11	10
Ground Pressure (empty)	kPa	24.8	32.1

MACHINE DIMENSION

		MST-1500VD	MST-2200VD
Machine Weight	kg	10,900	14,100
Overall Length	mm	5,750	6,260
Overall Width	mm	2,650	2,850
Overall Height	mm	2,900	3,170
Wheelbase	mm	3,870	3,800
Min. Ground Clearance	mm	500	480
Front Overhang	mm	965	1,330
Crawler Distance	mm	1,800	2,050
Crawler Width	mm	700	750
Crawler Size	mm	700 x 100 x 98	750 x 150 x 66

DUMP BODY

		MST-1500VD	MST-2200VD
Overall Length	mm	3,100	3,600
Overall Width	mm	2,200	2,450
Overall Height	mm	350	400
Ground Clearance	mm	1,350	1,430

ENGINE

		Cummins QSB6.7 Tier4 Final	Cummins QSB6.7 Tier 4 Final
Model			
Nominal Output/rpm	HP/rpm	225/2,200	249/2,000
Nominal Output/rpm	kw/rpm	168/2,200	186/2,000

Remarks : Specification may be changed without any notice.

MOROOKA

Morooka Co., Ltd.

Postal Code : 301-0031
 358 Shoubeeshindenmachi, Ryugasaki city, Ibaraki Prefecture, Japan
 TEL : +81-297-66-2111 FAX : +81-297-66-3110
 URL : www.morooka.co.jp (Japanese)
 www.morooka.com (English)

MADE IN JAPAN